

Albany, NY, 12205, US (833) 465-8378

Kaycha Labs

MIMOSA ENVY Strain: Mimosa Envy Matrix: Flower Classification: Unknown Type: Flower - Cured



Certificate of Analysis

Pages 1 of 5

FOR COMPLIANCE



Batch #: TCR-F-ME-1025 Production Method: Cured Total Amount: 500 units Retail Product Size: 3.5 gram Retail Serving Size: 3.5 gram

Servings: 1

PASSED

Lab ID: AL51017006-003 **Sampled Date: 10/17/25** Sample Collection Time: 02:25 PM Sampling End: 03:00 PM Sampling Method: SOP.T.20.010.NY

Sample Size: 5 units Completed: 10/22/25

Grams Cannabis

360 Graham Avenue Brooklyn, NY, 11211, US gramsbk.com

License #: OCM-MICR-25-000223

SAFETY RESULTS



PASSED



Heavy Metals

PASSED



Microbial

PASSED









PASSED



PASSED



Moisture Content **PASSED**



MISC.

Terpenes **PASSED**



Cannabinoid

PASSED



Total THC 23.9100% Total THC: 836.8512 mg




Total CBD <0.1



Total Cannabinoids 27.8187%

Total Cannabinoids/Container:



Weight: 0.1831g

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY

Analyzed Date: 10/20/25 09:53:21

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy Lab Director

State License # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164





1 Winners Circle Albany, NY, 12205, US (833) 465-8378 Kaycha Labs

MIMOSA ENVY Strain: Mimosa Envy Matrix: Flower Classification: Unknown Type: Flower - Cured



Pages 2 of 5

Certificate of Analysis

Grams Cannabis

360 Graham Avenue Brooklyn, NY, 11211, US gramsbk.com

gramsbk.com License # : OCM-MICR-25-000223 Sample: AL51017006-003

Batch #: TCR-F-ME-1025

Ordered: 10/17/25 Sampled: 10/17/25 Completed: 10/22/25

PASSED



Label Claim Verification

PASSED


ANALYTES UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

Weight:

Analysis Method: N/A Analyzed Date: 10/20/25 09:53:53

Terpenes

PASSED



Weight: 1.0238q

Analysis Method: SOP.T.30.064.NY, SOP.T.40.064.NY

Analyzed Date: 10/20/25 09:22:21



Pesticide

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------|------|-----|-------|-----------|--------|-----------|
| PRALLETHRIN | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| ACEQUINOCYL | ppm | 0.1 | 2 | PASS | < 0.1 | |
| PYRETHRINS, TOTAL | ppm | 0.1 | 1 | PASS | < 0.1 | |
| AZADIRACHTIN | ppm | 0.1 | 1 | PASS | <0.1 | |
| INDOLE-3-BUTYRIC ACID | ppm | 0.1 | 1 | PASS | <0.1 | |
| MYCLOBUTANIL | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| PIPERONYL BUTOXIDE | ppm | 0.1 | 2 | PASS | < 0.1 | |
| ABAMECTIN B1A | ppm | 0.1 | 0.5 | PASS | <0.1 | |
| ACEPHATE | ppm | 0.1 | 0.4 | PASS | <0.1 | |
| ACETAMIPRID | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| ALDICARB | ppm | 0.1 | 0.4 | PASS | <0.1 | |
| AZOXYSTROBIN | ppm | 0.1 | 0.2 | PASS | < 0.1 | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

State License # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature



1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Kaycha Labs

MIMOSA ENVY Strain: Mimosa Envy Matrix: Flower Classification: Unknown Type: Flower - Cured



Pages 3 of 5

PASSED

Certificate of Analysis

Grams Cannabis

360 Graham Avenue Brooklyn, NY, 11211, US gramsbk.com **License # :** OCM-MICR-25-000223

Batch #: TCR-F-ME-3

Pesticide

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------------|------|-----|-------|-----------|--------|-----------|
| CHLORMEQUAT CHLORIDE | ppm | 0.1 | 1 | PASS | <0.1 | |
| BIFENAZATE | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| BIFENTHRIN | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| CARBARYL | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| CHLORPYRIFOS | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| COUMAPHOS | ppm | 0.1 | 1 | PASS | < 0.1 | |
| DAMINOZIDE | ppm | 0.1 | 1 | PASS | < 0.1 | |
| CARBOFURAN | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| BOSCALID | ppm | 0.1 | 0.4 | PASS | <0.1 | |
| CHLORANTRANILIPROLE | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| DIAZINON | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| CLOFENTEZINE | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| DICHLORVOS | ppm | 0.1 | 1 | PASS | < 0.1 | |
| DIMETHOATE | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| DIMETHOMORPH | ppm | 0.1 | 1 | PASS | < 0.1 | |
| ETHOPROPHOS | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| ETOFENPROX | ppm | 0.1 | 0.4 | PASS | <0.1 | |
| ETOXAZOLE | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| FENHEXAMID | ppm | 0.1 | 1 | PASS | <0.1 | |
| FENOXYCARB | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| FENPYROXIMATE | ppm | 0.1 | 0.4 | PASS | < 0.1 | |
| FIPRONIL | ppm | 0.1 | 0.4 | PASS | < 0.1 | |
| FLONICAMID | ppm | 0.1 | 1 | PASS | < 0.1 | |
| FLUDIOXONIL | ppm | 0.1 | 0.4 | PASS | < 0.1 | |
| HEXYTHIAZOX | ppm | 0.1 | 1 | PASS | < 0.1 | |
| IMAZALIL | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| IMIDACLOPRID | ppm | 0.1 | 0.4 | PASS | < 0.1 | |
| KRESOXIM METHYL | ppm | 0.1 | 0.4 | PASS | < 0.1 | |
| MALATHION | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| METALAXYL | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| METHIOCARB | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| METHOMYL | ppm | 0.1 | 0.4 | PASS | < 0.1 | |
| MEVINPHOS | ppm | 0.1 | 1 | PASS | < 0.1 | |
| NALED | ppm | 0.1 | 0.5 | PASS | < 0.1 | |
| OXAMYL | ppm | 0.1 | 1 | PASS | < 0.1 | |
| PACLOBUTRAZOL | ppm | 0.1 | 0.4 | PASS | < 0.1 | |
| PERMETHRIN | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| PHOSMET | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| PROPICONAZOLE | ppm | 0.1 | 0.4 | PASS | < 0.1 | |
| PROPOXUR | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| PYRIDABEN | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| SPINETORAM, TOTAL | ppm | 0.1 | 1 | PASS | < 0.1 | |
| SPINOSAD, TOTAL | ppm | 0.1 | 0.2 | PASS | < 0.1 | |
| SPIROMESIFEN | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| SPIROTETRAMAT | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| SPIROXAMINE | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| TEBUCONAZOLE | ppm | 0.1 | 0.4 | PASS | <0.1 | |
| THIACLOPRID | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| THIAMETHOXAM | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| TRIFLOXYSTROBIN | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| CAPTAN | ppm | 0.1 | 1 | PASS | <0.1 | |
| CHLORDANE | ppm | 0.1 | 1 | PASS | <0.1 | |
| CHLORFENAPYR | ppm | 0.1 | 1 | PASS | <0.1 | |
| CYFLUTHRIN | ppm | 0.1 | 1 | PASS | <0.1 | |
| | PP | | - | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

State License # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



10/22/25



Albany, NY, 12205, US (833) 465-8378

Kaycha Labs

MIMOSA ENVY Strain: Mimosa Envy Matrix: Flower Classification: Unknown Type: Flower - Cured



Pages 4 of 5

Certificate of Analysis

360 Graham Avenue Brooklyn, NY, 11211, US gramsbk.com

License #: OCM-MICR-25-000223

Sample: AL51017006-003

Batch #: TCR-F-ME-1025

Ordered: 10/17/25 Sampled: 10/17/25 Completed: 10/22/25

PASSED



Pesticide

PASSED

| METHYL PARATHION ppm 0.1 0.2 PASS <0.1 | ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--|-------------------------|------|-----|-------|-----------|--------|-----------|
| | METHYL PARATHION | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| PENTACHLORONITROBENZENE ppm 0.1 1 PASS <0.1 | MGK-264 | ppm | 0.1 | 0.2 | PASS | <0.1 | |
| | PENTACHLORONITROBENZENE | ppm | 0.1 | 1 | PASS | < 0.1 | |

Weight: 0.9662g

Analysis Method: SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY

Analyzed Date: 10/21/25 10:58:53

Weight: 0.9662g

Analysis Method: SOP.T.40.154.NY Analyzed Date: 10/21/25 08:34:11



Microbial

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------------------------|-------|-----|-------------|-----------|-------------|-----------|
| TOTAL AEROBIC BACTERIA | CFU/g | 100 | | TESTED | <100 | |
| TOTAL YEAST AND MOLD | CFU/g | 100 | | TESTED | <100 | |
| ESCHERICHIA COLI/SHIGELLA SPP. | | | Not Present | PASS | Not Present | |
| SALMONELLA SPECIES | | | Not Present | PASS | Not Present | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | Not Present | |
| ASPERGILLUS NIGER | | | Not Present | PASS | Not Present | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | Not Present | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | Not Present | |

Weight:

Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY Analyzed Date : 10/20/25 13:55:21



Mycotoxins

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------------|------|------|-------|-----------|--------|-----------|
| TOTAL AFLATOXINS (B1, B2, G1, G2) | ppm | 0.01 | 0.02 | PASS | <0.01 | |
| AFLATOXIN G2 | ppm | 0.01 | 0.02 | PASS | < 0.01 | |
| AFLATOXIN G1 | ppm | 0.01 | 0.02 | PASS | < 0.01 | |
| AFLATOXIN B2 | ppm | 0.01 | 0.02 | PASS | < 0.01 | |
| AFLATOXIN B1 | ppm | 0.01 | 0.02 | PASS | < 0.01 | |
| OCHRATOXIN A+ | ppm | 0.01 | 0.02 | PASS | <0.01 | |

Weight:

Analysis Method: SOP.T.30.104.NY, SOP.T.40.104.NY

Analyzed Date: 10/22/25 10:17:04

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



State License # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature



1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Kaycha Labs

MIMOSA ENVY Strain: Mimosa Envy Matrix: Flower Classification: Unknown Type: Flower - Cured



Pages 5 of 5

Certificate of Analysis

360 Graham Avenue Brooklyn, NY, 11211, US gramsbk.com License #: OCM-MICR-25-000223 Sample: AL51017006-003

Batch #: TCR-F-ME-1025

Ordered: 10/17/25 Sampled: 10/17/25 Completed: 10/22/25

PASSED



Water Activity

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------|------|-----|-------|-----------|--------|-----------|
| WATER ACTIVITY | aw | 0.1 | 0.65 | PASS | 0.45 | |

Weight: 0.3656g

Analysis Method: SOP.T.40.019
Analyzed Date: 10/20/25 10:41:23



Moisture Content

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------------------|------|-----|-------|-----------|--------|-----------|
| MOISTURE CONTENT | % | 1 | 15 | PASS | 7.8 | |
| | | | | | | |

Weight: 1.064g

Analysis Method: SOP.T.40.021 Analyzed Date: 10/20/25 09:54:35



Heavy Metals

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------|------|------|-------|-----------|---------|-----------|
| ANTIMONY | ug/g | 0.1 | 2 | PASS | ND | |
| ARSENIC | ug/g | 0.1 | 0.2 | PASS | < 0.1 | |
| CADMIUM | ug/g | 0.1 | 0.2 | PASS | < 0.1 | |
| CHROMIUM | ug/g | 1 | 110 | PASS | <1 | |
| COPPER | ug/g | 1 | 30 | PASS | 13.9419 | |
| LEAD | ug/g | 0.1 | 0.5 | PASS | < 0.1 | |
| MERCURY | ug/g | 0.01 | 0.1 | PASS | < 0.01 | |
| NICKEL | ug/g | 0.1 | 5 | PASS | 0.1253 | |
| Woights | | | | | | |

0.5121g

Analysis Method: SOP.T.30.084.NY, SOP.T.40.084.NY

Analyzed Date: 10/20/25 09:37:18



Filth/Foreign Material

PASSED

| ANALYTES | UNIT | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------|------|-----|-------|-----------|--------|-----------|
| FOREIGN MATTER | % | 0.1 | 2 | PASS | ND | |
| MAMMALIAN EXCRETA | mg | 0.1 | 1 | PASS | ND | |
| STEMS (>3MM) | % | 1 | 5 | PASS | ND | |

Weight: 8.9858g

Analysis Method: SOP.T.40.090 Analyzed Date: 10/17/25 11:32:22

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Erica Troy

Lab Director

State License # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature